

Management of Surgical Smoke Tool Kit  
Resources

- Al Sahaf OS, Vega-Carrascal I, Cunningham FO, McGrath JP, Bloomfield FJ. Chemical composition of smoke produced by high-frequency electrosurgery. *Ir J Med Sci.* 2007;176(3):229-232.
- Alp E, Bijl D, Bleichrodt RP, Hansson B, Voss A. Surgical smoke and infection control. *J Hosp Infect.* 2006;62(1):1-5.
- American National Standards Institute. Standard 7.4. In: *ANSI Z136.3—Safe Use of Lasers in Healthcare.* Washington, DC: ANSI; 2011.
- Andersen E. Surgical smoke—is there a fire? *AAOHN J.* 2005;53(3):103-104.
- AORN Position statement: Surgical smoke and bio-aerosols. AORN, Inc. [http://www.aorn.org/Clinical\\_Practice/Position\\_Statements/Position\\_Statements.aspx](http://www.aorn.org/Clinical_Practice/Position_Statements/Position_Statements.aspx). Accessed January 30, 2013.
- Baggish MS, Poiesz BJ, Joret D, Williamson P, Refai A. Presence of human immunodeficiency virus DNA in laser smoke. *Lasers Surg Med.* 1991;11(3):197-203.
- Ball K. Compliance with surgical smoke evacuation guidelines: implications for practice. *AORN J.* 2010;92(2):142-149.
- Ball K. *Lasers: The Perioperative Challenge.* 3rd ed. Denver, CO: AORN, Inc; 2004.
- Ball K. Making the case for smoke evacuation. *Outpatient Surgery.* 2007;8(8):53-57.
- Ball K. Surgical modalities. In: Rothrock JC, ed. *Alexander's Care of the Patient in Surgery.* 13th ed. St Louis, MO: Mosby/Elsevier; 2007:183-227.
- Ball K. Surgical smoke evacuation guidelines: compliance among perioperative nurses. *AORN J.* 2010;92 (2):e1-e23. doi: 10.1016/j.aorn.2009.10.026.
- Barrett WL, Garber SM. Surgical smoke—a review of the literature. In: *Business Briefing: Global Surgery 2004.* <http://www.penadapt.com/PDF/Barrett-Garber.pdf>. Accessed January 30, 2013.
- Beebe DS, Swica H, Carlson N, Palahniuk RJ, Goodale RL. High levels of carbon monoxide are produced by electro-cautery of tissue during laparoscopic cholecystectomy. *Anesth Analg.* 1993;77(2):338-341.
- Bigony L. Risks associated with exposure to surgical smoke plume: a review of the literature. *AORN J.* 2007;86(6):1013-1020.
- Brüske-Hohlfeld I, Preissler G, Jauch KW, et al. Surgical smoke and ultrafine particles. *J Occup Med Toxicol.* 2008;3(December):31.
- Capizzi PJ, Clay RP, Battey MJ. Microbiologic activity in laser resurfacing plume and debris. *Lasers Surg Med.* 1998;23(3):172-174.
- Centers for Disease Control and Prevention. Bacterial meningitis after intrapartum spinal anesthesia—New York and Ohio, 2008-2009. *MMWR Morb Mortal Wkly Rep.* 2010;59(3):65-69.

*Funded through the AORN Foundation and supported by ConMed Electrosurgery*



Centers for Disease Control and Prevention. Occupational transmission of *Neisseria meningitidis*—California, 2009. *MMWR Morb Mortal Wkly Rep*. 2010;59(45):1480-1483.

Champault G, Taffinder N, Zioli M, Riskalla H, Catheline JM. Cells are present in the smoke created during laparoscopic surgery. *Br J Surg*. 1997;84(7):993-995.

Cunnington J. Facilitating benefit, minimising risk: responsibilities of the surgical practitioner during electrosurgery. *J Perioper Pract*. 2006;16(4):195, 197-202.

DHHS (NIOSH) Publication Number 96-128..Control of smoke from laser/electric surgical procedures. 1996. Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/docs/hazardcontrol/hc11.html>. Accessed January 30, 2013.

ECRI Institute. <https://www.ecri.org>. Accessed January 30, 2013.

ECRI Institute. Laser use and safety. *Healthc Risk Control*. 2011;4(Surgery and Anesthesia):17.

[Edwards BE](#), [Reiman RE](#). Comparison of current and past surgical smoke control practices. *AORN J*. 2012;95(3):337-350.

Environment of care. In: *Comprehensive Accreditation Manual: CAMH for Hospitals. The Official Handbook*. Oakbrook Terrace, IL: Joint Commission; 2009: EC-6-EC-6.

Ferenczy A, Bergeron C, Richart RM. Human papillomavirus DNA in CO<sub>2</sub> laser-generated plume of smoke and its consequences to the surgeon. *Obstet Gynecol*. 1990;75(1):114-118.

Fowler RA, Guest CB, Lapinsky SE, et al. Transmission of severe acute respiratory syndrome during intubation and mechanical ventilation. *Am J Respir Crit Care Med*. 2004;169(11):1198-1202.

González-Bayón L, González-Moreno S, Ortega-Pérez G. Safety considerations for operating room personnel during hyperthermic intraoperative intraperitoneal chemotherapy perfusion. *Eur J Surg Oncol*. 2006;32(6):619-624.

Hallmo P, Naess O. Laryngeal papillomatosis with human papillomavirus DNA contracted by a laser surgeon. *Eur Arch Otorhinolaryngol*. 1991;248(7):425-427.

Hill DS, O'Neill JK, Powell RJ, Oliver DW. Surgical smoke—a health hazard in the operating theatre: a study to quantify exposure and a survey of the use of smoke extractor systems in UK plastic surgery units. *J Plast Reconstr Aesthet Surg*. 2012; 65(7):911-916.

Kunachak S, Sobhon P. The potential alveolar hazard of carbon dioxide laser-induced smoke. *J Med Assoc Thai*. 1998;81(4):278-282.

Laser/electrosurgery plume. United States Department of Labor. Occupational Safety and Health Administration. <http://www.osha.gov/SLTC/laserelectrosurgeryplume/index.html>. Accessed January 30, 2013.

Lee SA, Grinshpun SA, Reponen T. Respiratory performance offered by N95 respirators and surgical masks: human subject evaluation with NaCl aerosol representing bacterial and viral particle size range. *Ann Occup Hyg*. 2008;52(3):177-185.

Lester JD, Hsu S, Ahmad CS. Occupational hazards facing orthopedic surgeons. *Am J Orthop (Belle Mead NJ)*. 2012;41(3):132-139.

*Funded through the AORN Foundation and supported by ConMed Electrosurgery*



Lewin JM, Brauer JA, Ostad A. Surgical smoke and the dermatologist. *J Am Acad Dermatol*. 2011;65(3):636-641.

Making things clear about surgical smoke. LINA Medical.

[http://www.linamedical.co.uk/assets/files/penetration\\_brochure.pdf](http://www.linamedical.co.uk/assets/files/penetration_brochure.pdf). Accessed January 30, 2013.

Marsh S. The smoke factor: things you should know. *J Perioper Pract*. 2012;22(3):91-94.

Massarweh NN, Cosgriff N, Slakey DP. Electrosurgery: history, principles, and current and future uses. *J Am Coll Surg*. 2006;202(3):520-530.

Näslund Andréasson S, Mahteme H, Sahlberg B, Anundi H. Polycyclic aromatic hydrocarbons in electrocautery smoke during peritonectomy procedures. *J Environ Public Health*. 2012;2012:929053. Epub May 22, 2012.  
doi:10.1155/2012/929053.

The National Personal Protective Technology Laboratory (NPPTL). NIOSH-approved particulate filtering facepiece respirators. Centers for Disease Control and Prevention.

[http://www.cdc.gov/niosh/npptl/topics/respirators/disp\\_part/default.html](http://www.cdc.gov/niosh/npptl/topics/respirators/disp_part/default.html). Accessed January 30, 2013.

The National Personal Protective Laboratory (NPPTL). Respirator trusted-source information. Centers for Disease Control and Prevention. National Institute for Occupational Safety and Health.

[http://www.cdc.gov/niosh/npptl/topics/respirators/disp\\_part/RespSource.html](http://www.cdc.gov/niosh/npptl/topics/respirators/disp_part/RespSource.html). Accessed January 30, 2013.

Nicola JH, Nicola EM, Vieira R, Braile DM, Tanabe MM, Baldin DH. Speed of particles ejected from animal skin by CO<sub>2</sub> laser pulses, measured by laser Doppler velocimetry. *Phys Med Biol*. 2002;47(5):847-856.

NIOSH Science Blog. N95 respirators and surgical masks. Centers for Disease Control and Prevention. National Institute for Occupational Safety and Health. <http://blogs.cdc.gov/niosh-science-blog/2009/10/n95>. Accessed January 30, 2013.

Oberg T, Brosseau LM. Surgical mask filter and fit performance. *Am J Infect Control*. 2008;36(4):276-282.

Occupational Safety and Health Standards. 29 CFR 1910.134. Personal protective equipment: respiratory protection. June 8, 2011. Occupational Safety & Health Administration.

[http://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_id=12716&p\\_table=standards](http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=12716&p_table=standards). Accessed January 30, 2013.

Olmsted RN. Pilot study of directional airflow and containment of airborne particles in the size of *Mycobacterium tuberculosis* in an operating room. *Am J Infect Control*. 2008;36(4):260-267.

O'Riley M. Electrosurgery in perioperative practice. *J Perioper Pract*. 2010;20(9):329-333.

Ortolano GA, Cervia JS, Canonica FP. Surgical smoke: a concern for infection control practitioners. *Manag Infect Control*. 2009;9(8):48-54.

OSHA Hospital eTool Surgical Suite Module: Smoke Plume. US Department of Labor. Occupational Safety and Health Administration. <http://www.osha.gov/SLTC/etools/hospital/surgical/surgical.html#LaserPlume>. Accessed January 30, 2013.

*Funded through the AORN Foundation and supported by ConMed Electrosurgery*



[Pierce JS, Lacey SE, Lippert JE, Lopez R, Franke JE](#). Laser-generated air contaminants from medical laser applications: a state-of-the-science review of exposure characterization, health effects, and control. *J Occup Environ Hyg*. 2011;8(7):447-466.

Pollock L. Hazards of electrosurgical smoke. *Perioper Nurs Clin*. 2007;2(2):127-138.

Povel JA. Surgical smoke. *Surg Endosc*. 2004;18(2):350.

Radonovich LJ Jr, Hodgson MJ, Cohen HJ. Do respirators protect health-care workers from airborne infectious diseases? *Respir Care*. 2008;53(12):1660-1664.

Recommended practices for electrosurgery. In: *Perioperative Standards and Recommended Practices*. Denver, CO: AORN, Inc;2013:125-141.

Recommended practices for laser safety in the perioperative practice settings. In: *Perioperative Standards and Recommended Practices*. Denver, CO: AORN, Inc;2013:143-156.

Recommended practices for minimally invasive surgery. In: *Perioperative Standards and Recommended Practices*. Denver, CO: AORN, Inc;2013:157-184.

Recommended practices for prevention of transmissible infections in the perioperative practice setting. In: *Perioperative Standards and Recommended Practices*. Denver, CO: AORN, Inc;2013:331-363.

Rengasamy S, Miller A, Eimer BC, Shaffer RE. Filtration performance of FDA-cleared high filtration surgical masks. *J Int Soc Res Prot*. 2009;26(Spring-Summer):54-70.

Springer R. Surgical smoke. *Plast Surg Nurs*. 2007;27(4):221-222.

Tomita Y, Mihashi S, Nagata K, et al. Mutagenicity of smoke condensates induced by CO<sub>2</sub>-laser irradiation and electrocauterization. *Mutat Res*. 1981;89(2):145-149.

Ulmer BC. The hazards of surgical smoke. *AORN J*. 2008;87(4):721-734.

US Department of Labor. *The Difference Between Respirators and Surgical Masks* [video]. YouTube. [www.youtube.com/watch?v=ovSLAuY8ib8](http://www.youtube.com/watch?v=ovSLAuY8ib8). Accessed January 30, 2013.

US Department of Labor. *Respirator Safety* [video]. YouTube. <http://www.youtube.com/watch?v=Tzpz5fko-fg>. Accessed January 30, 2013.

Waddell AW. Cultivating quality: implementing surgical smoke evacuation in the operating room. *Am J Nurs*. 2010;110(1):54-58.

Watson DS. Surgical smoke evacuation during laparoscopic surgery. *AORN J*. 2010;[92\(3\)](#):347-350.

Weld KJ, Dryer S, Ames CD, et al. Analysis of surgical smoke produced by various energy-based instruments and effect on laparoscopic visibility. *J Endourol*. 2007;21(3):347-351.

Weston R, Stephenson RN, Kutarski PW, Parr NJ. Chemical composition of gases surgeons are exposed to during endoscopic urological resections. *Urology*. 2009;74(5):1152-1154.

*Funded through the AORN Foundation and supported by ConMed Electrosurgery*



*Funded through the AORN Foundation and supported by ConMed Electrosurgery*

