

## Pain Assessment Reference List

- Arathuzik, D. (1994). "Preliminary assessment: The pain inventory and the pain coping tool." *American Journal of Hospice & Palliative Care* 11(5): 25-9.
- Bennett, M. (2001). "The LANSS pain scale: The Leeds assessment of neuropathic symptoms and signs." *Pain* 92(1-2): 147-57.
- Berker, M., Hughes, B. (1990). "Using a tool for pain assessment." *Nursing Times* 86(24): 50-2.
- Binder, J., Krechel, S. W. (1996). "Increasing staff nurse awareness of postoperative pain management in the NICU." *Neonatal Network* 15(1): 11-6.
- Blauer, T., Gerstmann, D. (1998). "A simultaneous comparison of three neonatal pain scales during common NICU procedures." *The Clinical Journal of Pain* 14(1): 39-47.
- Campbell, W. I., Patterson, C. C. (1998). "Quantifying meaningful changes in pain." *Anaesthesia* 53(2): 121-5.
- Carr, C. J. (1998). "Evaluating the use of a pain assessment tool and care plan: A pilot study." *Journal of Advanced Nursing* 26(6): 1073-9.
- Carroll, K. C., Atkins, P. J., Herold, G. R., Mlcek, C. A., Shively, M., Clopton, P., Glaser, D. N. (1999). "Pain assessment and management in critically ill postoperative and trauma patients: A multisite study." *American Journal of Critical Care* 8(2): 119-30.
- Choiniere, M., Amsel, R. (1996). "A visual analogue thermometer for measuring pain intensity." *Journal of Pain and Symptom Management* 11(5): 299-311.
- Chuk, P. K. (1999). "Vital signs and nurses' choices of titrated dosages of intravenous morphine for relieving pain following cardiac surgery." *Journal of Advanced Nursing* 30(4): 858-865.
- Closs, S. J., Briggs, M., Everitt, V. E. (1999). "Implementation of research findings to reduce postoperative pain at night." *International Journal of Nursing Studies* 36(1): 21-31.
- Coyne, M. L., Reinert, B., Cater, K., Dubuisson, W., Smith, J. F., Parker, M. M., Chatham, C. (1999). "Nurses' knowledge of pain assessment, pharmacologic and nonpharmacologic interventions." *Clinical Nursing Research* 8(2): 153-65.
- Dahlman, G. B., Dykes, A. K., Elander, G. (1999). "Patients' evaluation of pain and nurses' management of analgesics after surgery. The effect of a study day on the subject of pain for nurses working at the thorax surgery department." *Journal of Advanced Nursing* 30(4): 866-874.
- de Cássia Xavier Balda, R., Guinsburg R., Branco de Almeida, M. F., de Araújo Peres, C., Miyoshi, M. H., Kopelman, B. I. (2000). "The recognition of facial expression of pain in full-term newborns by parents and health professionals." *Archives of Pediatrics & Adolescent*

*Medicine* 154(10): 1009-16.

Debillon, T., Zupan, V., Revault, N., Magny, J. F., Dehan, M. (2001). "Development and initial validation of the EDIN scale, a new tool for assessing prolonged pain in preterm infants." *Archives of Disease in Childhood. Fetal and Neonatal Edition* 85(1): F36-41.

DeLoach, U., Higgins, M. S., Caplan, A. B., Stiff, J. F. (1998). "The visual analog scale in the immediate postoperative period: Intrasubject variability and correlation with a numeric scale." *Anesthesia and Analgesia* 86(1): 102-6.

Devine, E. C., Bevsek, S. A., Brubakken, K., Johnson, B. P., Ryan, P., Sliefert, M. K., Rodgers, B. (1999). "AHCPR Clinical practice guideline on surgical pain management: Adoption and outcomes." *Research in Nursing & Health* 22(2): 119-30.

Duggleby, W., Lander, J. (1994). "Cognitive status and postoperative pain: Older adults." *Journal of Pain Symptom Management* 9(1): 19-27.

Gaston-Johansson, F. (1996). "Measurement of pain: The psychometric properties of pain-o-meter, a simple, inexpensive pain assessment tool that could change health care practices." *Journal of Pain and Symptom Management* 12(3): 172-81.

Gilbert, C. A., Lilley, C. M., Craig, K. D., McGrath, P. J., Court, C. A., Bennett, S. M., Montgomery, C. J. (1999). "Postoperative pain expression in preschool children: Validation of the child facial coding system." *The Clinical Journal of Pain* 15(3): 192-200.

Gordon, M., Greenfield, E., Marvin, J., Hester, C., Lauterbach, S. (1998). "Use of pain assessment tools: Is there a preference?" *The Journal of Burn Care & Rehabilitation* 19(5): 451-4.

Hadjistavropoulos, H. D., MacLeod, F. K., Asmundson, J. G. (1999). "Validation of the chronic pain coping inventory." *Pain* 80(3): 471-81.

Hancock, H. (1996). "The complexity of pain assessment and management in the first 24 hours after cardiac surgery: Implication for nurses. Part 2." *Intensive and Critical Care Nursing* 12(5): 295-302.

Harmer, M., Davies, K. A. (1998). "The effect of education, assessment and a standard prescription on postoperative pain management. The value of clinical audit in the establishment of acute pain services." *Anaesthesia* 53(5): 424-30.

Harrison, E., Magee, D., Quinney, H. (1996). "Development of a clinical tool and patient questionnaire for evaluation of patellofemoral pain syndrome patients." *Clinical Journal of Sport Medicine* 6(3): 163-70.

Hinojosa, R. J. (1997). "Comparisons of pain ratings from post-operative children, their mothers, and their nurses: A research critique." *Plastic Surgical Nursing* 17(1): 33-6.

Hudson-Barr, D. C., Duffey, M. A., Holditch-Davis, D., Funk, S., Frauman, A. (1998). "Pediatric nurses' use of behaviors to make medication administration decisions in infants recovering from surgery." *Research in Nursing & Health* 21(1): 3-13.

Jadlos, M. A., Kelman, G. B., Marra, K., Lanoue, A. (1996). "A pain management documentation tool." *Oncology Nursing Forum* 23(9): 1451-2.

Joyce, B. A., Keck, J. F., Gerkensmeyer, J. E. (1999). "Evaluating the implementation of a pain management flow sheet." *Journal of Pediatric Nursing* 14(5): 304-12.

Katz, J., Melzack, R. (1999). "Measurement of pain." *The Surgical Clinics of North America. Pain control in the perioperative period* 79(2): 231-252.

Klopfenstein, C. E., Herrmann, F. R., Mamie, C., Van Gessel, E., Forster, A. (2000). "Pain intensity and pain relief after surgery: A comparison between patients' reported assessments and nurses' and physicians' observations." *Acta Anaesthesiol Scand* 44(1): 58-62.

Krechel, S. W., Bildner, J. (1995). "CRIES: A new neonatal postoperative pain measurement score. Initial testing of validity and reliability." *Paediatric Anaesthesia* 5(1): 53-61.

Krulewitch, H., London, M. R., Skakel, V. J., Lundstedt, G. J., Thomason, H., Brummel-Smith, K. (2000). "Assessment of pain in cognitively impaired older adults: A comparison of pain assessment tools and their use by nonprofessional caregivers." *Journal of the American Geriatrics Society* 48(12): 1607-11.

Lawrence, J., Alcock, D., McGrath, P., Kay, J., MacMurray, S. B., Dulberg, C. (1993). "The development of a tool to assess neonatal pain." *Neonatal Network* 12(6): 59-66.

Lehmann, K. A. (1999). "Patient-controlled analgesia: An efficient therapeutic tool in the postoperative setting." *European Surgery Research* 31(2): 112-21.

McCaffery, M., Pasero, C. (1999). *Pain: Clinical manual*. St. Louis: Mosby.

McDonald, D. D., McNulty, J., Erickson, K., Weiskopf, C. (2000). "Communicating pain and pain management needs after surgery." *Applied Nursing Research* 13(2): 70-75.

McDonald, D. D., Weiskopf, C. S. (2001). "Adult patients' postoperative pain descriptions and responses to the Short-Form McGill pain questionnaire." *Clinical Nursing Research* 10(4): 442-53.

McGeary, R. A. (1999). "A practical approach to improving pain management for inpatient gynecological surgery patients." *Journal of Nursing Care Quality* 13(4): 83-5.

McGuire, B. E. S., E. A. (2001). "Pain patient profile and the assessment of malingered pain." *Journal of Clinical Psychology* 57(3): 401-9.

McGuire, D. B. (1992). "Comprehensive and multidimensional assessment and measurement of pain." *Journal Pain Symptom Management* 7(5): 312-9.

McRae, M. E., Rourke, D. A., Imperial-Perez, F. A., Eisenring, C. M., Ueda, J. N. (1997). "Development of a research-based standard for assessment, interventions, and evaluation of pain after neonatal and pediatric cardiac surgery." *Pediatric Nursing* 23(3): 263-71.

Merkel, S. I., Voepel-Lewis, T., Shayevitz, J. R., Malviya, S. (1997). "The FLACC: A behavioral scale for scoring postoperative pain in young children." *Pediatric Nursing* 23(3): 293-7.

Myles, P. S., Troedel, S., Boquest, M., Reeves, M. (1999). "The pain visual analog scale: Is it linear or nonlinear?" *Anesthesia and Analgesia* 86(6): 1517-20.

Palos, G. (1999). "Using a quick and easy cancer pain assessment tool." *Oncology Nursing Forum* 26(4): 684.

Rauen, K., Holman, J. B. (1989). "Pain control in children following tonsillectomies: A retrospective study." *Journal of Nursing Quality Assurance* 3(3): 45-53.

Robertson, J. (1993). "Pediatric pain assessment: Validation of a multidimensional tool." *Pediatric Nursing* 19(3): 209-13.

Romsing, J., Hertel, S., Moller-Sonnergaard, J., Rasmussen, M. (1996). "Postoperative pain in Danish children: Self-report measures of pain intensity." *Journal of Pediatric Nursing* 11(2): 119-24.

Romsing, J., Moller-Sonnergaard, J., Hertel, S., Rasmussen, M. (1996). "Postoperative pain in children: Comparison between ratings of children and nurses." *Journal of Pain and Symptom Management* 11(1): 42-6.

Rucker, K. S., Metzler, H. M., Kregel, J. (1996). "Standardization of chronic pain assessment: A multiperspective approach." *The Clinical Journal of Pain* 12(2): 94-110.

Salantera, S., Lauri, S., Salmi, T. T., Aantaa, R. (1999). "Nursing activities and outcomes of care in the assessment, management, and documentation of children's pain." *Journal of Pediatric Nursing* 14(6): 408-15.

Sandlin, D. (2000). "The new joint commission accreditation of healthcare organizations' requirements for pain assessment and treatment: A pain in the assessment?" *Journal of PeriAnesthesia Nursing* 15(3): 182-4.

Schade, J. G., Joyce, B. A., Gerkensmeyer, J., Keck, J. F. (1996). "Comparison of three preverbal scales for postoperative pain assessment in a diverse pediatric sample." *Journal of Pain and Symptom Management* 12(6): 348-59.

Schultz, A. A., Murphy, E., Morton, J., Stempel, A., Messenger-Roux, C., Bennett, K. (1999). "Preverbal, early verbal pediatric pain scale (PEPPS): Development and early psychometric testing." *Journal of Pediatric Nursing* 14(1): 19-27.

St. Marie, B., American Society of Pain Management Nurses (2002). *Core curriculum for pain management nursing*. Philadelphia: Saunders.

Steen, V. D., Medsger, T. A. (1997). "The value of the health assessment questionnaire and special patient-generated scales to demonstrate change in systemic sclerosis patients over time." *Arthritis & Rheumatism* 40(11): 1984-91.

Stephenson, N. L. (1994). "A comparison of nurse and patient: Perceptions of postsurgical pain." *Journal of Intravenous Nursing* 17(5): 235-9.

Stone, T., Youwe, G., Hagen, B. (1998). "Impact of research on pediatric pain assessment and outcomes." *Pediatric Nursing* 24(1): 31-5, 62.

Suraseranivongse, S., Santawat, U., Kraiprasit, K., Petcharatana, S., Muntraporn, N. (2001). "Cross-validation of a composite pain scale for preschool children within 24 hours of surgery." *British Journal of Anaesthesia* 87(3): 400-5.

Tarbell, S. E., Cohen, I. T., Marsh, J. L. (1992). "The toddler-preschooler postoperative pain scale: An observational scale for measuring postoperative pain in children aged 1-5. Preliminary report." *Pain* 50(3): 273-80.

Taylor, H. (1997). "Pain scoring as a formal pain assessment tool." *Nursing Stand* 11(35): 40-2.

Terai, T., Yukoika, H., Asada, A. (1998). "Pain evaluation in the intensive care unit: Observer-reported faces scale compared with self-reported visual analog scale." *Regional Anesthesia and Pain Medicine* 23(2): 147-151.

Tesler, M. D., Holzemer, W. L., Savedra, M. C. (1998). "Pain behaviors: Postsurgical responses of children and adolescents." *Journal of Pediatric Nursing* 13(1): 41-7.

Turk, D., Melzack, R. (2001). *Handbook of pain assessment*. New York: Guilford Press.

Twycross, A. (2001). "Achieving consensus about pain content for child branch curricula." *Journal of Advanced Nursing* 34(1): 51-60.

Van Dijk, M., De Boer, J. B., Koot, H. M., Tibboel, D., Passchier, J., Duivenvoorden, H. (2000). "The reliability and validity of the COMFORT scale as a postoperative pain instrument in 0 to 3-year -old infants." *Pain* 84(2-3): 367-77.

Vlaeyen, J. W., Pernot, D. F., Kole-Snijders, A. M., Schuerman, J. A., Van Eek, H., Groenman, N. H. (1990). "Assessment of the components of observed chronic pain behavior: The checklist

- for interpersonal pain behavior (CHIP).” *Pain* 43(3): 337-47.
- Waterhouse, M. (1996). “Why pain assessment must start with believing the patient.” *Nursing Times* 92(38): 42-3.
- Webb, M. R., Kennedy, M. G. (1994). “Behavioral responses and self-reported pain in postoperative patients.” *Journal of Post Anesthesia Nursing* 9(2): 91-5.
- West, N., Qakes, L., Hinds, P. S., Sanders, L., Holden, R., Williams, S., Fariclough, D., Bozeman, P. (1994). “Measuring pain in pediatric oncology ICU patients.” *Journal of Pediatric Oncology Nursing* 11(2): 64-68.
- Westerling, D. (1999). “Postoperative recovery evaluated with a new, tactile scale (TaS) in children undergoing ophthalmic surgery.” *Pain* 83(2): 297-301.
- Wheeler, A. H., Goolkasian, P., Baird, A. C., Darden, B. V. (1999). “Development of the neck pain and disability scale.” *Spine* 24(13): 1290-4.
- Zalon, M. L. (1999). “Comparison of pain measures in surgical patients.” *Journal of Nursing Measurement* 7(2): 135-52.