



# **AORN Position Statement on One Perioperative Registered Nurse Circulator Dedicated to Every Patient Undergoing an Operative or Other Invasive Procedure**

## **POSITION STATEMENT**

The goal of perioperative nursing practice is to assist patients to achieve a level of wellness equal to or improved from the preoperative level, and to support the patients' family members and significant others during the perioperative period. AORN is committed to the provision of safe perioperative nursing care by ensuring that every patient undergoing an operative or other invasive procedure is cared for by minimum of one registered nurse (RN) in the circulating role. To this end, AORN believes the following:

- At a minimum, one perioperative RN circulator should be dedicated to each patient undergoing an operative or other invasive procedure and be present during that patient's entire intraoperative experience.<sup>1</sup>
- Patient care in the perioperative setting is dynamic in nature and depends on the clinical knowledge, judgment, and clinical-reasoning skills possessed by the perioperative RN.
- The perioperative RN circulator delegates, supervises, and evaluates the activities of other team members while simultaneously executing immediate directives and interventions in urgent or emergent situations.<sup>2</sup>
- The foundation of perioperative nursing practice is based on both the art and science of nursing, including scientific principles, best practices, and patient advocacy.
- A practice environment that acknowledges the unique education of an RN empowers perioperative nurses to provide the highest quality of patient care in the surgical arena.
- Scientific research and the identification of nursing quality indicators, such as those found in the language of the Perioperative Nursing Data Set (PNDS), are the best means to monitor the relationship between appropriate nurse staffing and patient outcomes in the surgical setting.
- Having a practice environment with a minimum of one perioperative RN circulator dedicated to each patient undergoing an operative or other invasive procedure will provide for safe, quality patient care in the surgical arena.
- Facility policies and procedures should address staffing requirements when more than one RN circulator is required. For example, individual competency, patient acuity, patient monitoring (eg, during local or moderate sedation), complexity of technology (eg, laser, minimally invasive techniques), and trauma procedures.
- Administrative and collegial support, as well as effective relationships with physicians and surgeons, contributes to the perioperative nurse's ability to provide safe, quality patient care.

## **Furthermore, AORN**

- supports the conduct of research to determine proper nurse staffing to sustain safe quality patient outcomes,
- supports continued collaboration with all organizations endeavoring to reduce and eliminate health care errors, and

- affirms that adequate staffing is an essential element of error prevention.

## **RATIONALE**

The perioperative nurse is an RN who plans, coordinates, delivers, and evaluates nursing care for patients whose protective reflexes or self-care abilities are potentially compromised during operative or other invasive procedures. Although the perioperative RN works collaboratively with other perioperative professionals (eg, surgeons, anesthesia professionals, surgical technologists) to meet patient needs, the perioperative RN is accountable for the patient outcomes resulting from the nursing care provided during the operative or other invasive procedure. Using clinical knowledge, judgment, and clinical-reasoning skills based on scientific principles, the perioperative nurse plans and implements nursing care to address the physical, psychological, and spiritual responses of the patient having an operative or other invasive procedure.

In conjunction with the escalating changes in health care, there is a continuous need to provide optimal nursing care that is high quality, safe, accessible, cost-effective, and affordable for patients undergoing operative or other invasive procedures in all settings. Evolving models of health care delivery are affecting perioperative nursing practice across diverse settings in which operative or other invasive procedures are performed. Past staff-reengineering attempts that were part of cost-savings initiatives have not demonstrated improvement, and may in fact have a deleterious effect on patient care outcomes. Health care systems have unsuccessfully attempted to replace RNs with allied health care providers and assistive personnel who lack the education and clinical-reasoning skills to provide quality patient outcomes. A variety of organizational factors in the perioperative setting must be considered. Nurse administrators who are accountable for the organization of perioperative services must ensure that adequate resources are available to promote a quality care environment.<sup>3</sup>

Studies have demonstrated that higher nurse-to-patient ratios are associated with lower mortality rates, fewer incidents of failure to rescue, shorter lengths of stay, fewer medication errors, and reduced incidences of pressure ulcers and pneumonia.<sup>4-7</sup> Better outcomes are inversely proportional to cost. In other words, better outcomes equal lower costs for the health care system.<sup>8,9</sup> Improved patient outcomes have been demonstrated with improved staffing, enhanced work environment, and better-educated nurses.<sup>10</sup>

The aging of the population has resulted in patients who are more acutely ill on admission to health care facilities. Despite the decreased lengths of stay in acute care facilities, patients continually require more-sophisticated care to maintain their health. This situation has been further complicated by an absence of standardized, mandatory public reporting of data that could objectively quantify the effects of altered staffing configurations. National adoption of the PNDS will enable nursing care to be documented in a standardized manner to allow for collection of reliable and valid clinical data on perioperative nurse-sensitive outcomes resulting from nursing interventions during operative or invasive procedures.<sup>11</sup>

In 1999, the Institute of Medicine (IOM) published its report *To Err Is Human: Building a Safer Health System*, which opened the issue of medical errors to public debate and identified national, state, and local policy directions for a safer health care system capable of reducing medical errors and improving patient safety.<sup>12</sup> The pace of improvement in patient safety has been slow and a source of widespread dissatisfaction for policy makers and the public, but even more for health care professionals. Despite extensive efforts by many institutions and

individuals, recent studies show little improvement in the rate of preventable patient harm since the IOM report.<sup>13</sup>

To improve patient safety, the provision of one perioperative RN circulator dedicated to every patient undergoing an operative or other invasive procedure must include awareness of community needs and the needs of the population served and must provide for appropriate perioperative nursing staff to meet those needs. The economic situation of the provider organization should not serve as the sole basis for determining services offered. Safety is valued as a top priority, even at the expense of productivity.<sup>14</sup>

One of the critical responsibilities of the RN circulator is serving as the patient's advocate. This requires that the RN circulator has the opportunity to receive a hand-over report on the patient's status and that time be allowed for the nurse to have a conversation with the patient to identify any physical, spiritual, or social needs of the patient before the initiation of the intraoperative period.<sup>15</sup>

The Code of Federal Regulations "Conditions of participation for hospitals" (42 CFR §482) sets forth national staffing standards for hospitals receiving Medicare reimbursement. Under these regulations, the health care organization must have adequate numbers of qualified RNs to provide nursing care, which includes circulating duties.<sup>16</sup> The Centers for Medicare & Medicaid Services interpretive guidelines in §482.51(a)(3) state, "The circulating nurse must be an RN." A licensed practical nurse or surgical technologist may assist an RN in carrying out circulating duties, in accordance with applicable state laws and medical staff-approved hospital policy, but the licensed practical nurse or surgical technologist must be under the supervision of the RN circulator who is in the operating suite and who is available to immediately and physically respond to provide necessary interventions in emergencies. The supervising RN would not be considered immediately available if the RN was located outside the operating suite or engaged in other activities or duties that prevent him or her from immediately intervening and assuming whatever circulating activities or duties were being provided by the licensed practical nurse or surgical technologist.<sup>16</sup>

Several states have legislation requiring an RN as circulator.<sup>17</sup> Perioperative RNs should know and must comply with their individual state statutes, rules, and Board of Nursing guidance regarding the role of the RN as the circulator in the perioperative setting. The perioperative RN may delegate tasks and functions according to applicable law, regulations, and standards, taking into consideration the competencies of the ancillary personnel, but retains accountability for the outcome of perioperative nursing care.<sup>18</sup> Delegation must be consistent with state laws and regulatory agency standards. Any nursing intervention that requires independent, specialized nursing knowledge, skill, or judgment cannot be delegated.<sup>16</sup>

Administrators, directors, and managers responsible for providing staff for perioperative services should refer to the *AORN Position Statement: Perioperative Safe Staffing and On-Call Practices*.<sup>1</sup>

## **GLOSSARY**

*Invasive procedure:* The surgical entry into tissues, cavities, or organs, or the repair of major traumatic injuries.

*Perioperative nurse:* A registered nurse who, using the nursing process, develops a plan of nursing care and then delivers that care to patients undergoing operative or other invasive procedures. The perioperative nurse has the requisite skills and knowledge to assess, diagnose, plan, intervene, and evaluate the outcomes of surgical interventions. The perioperative nurse

addresses the physiological, psychological, socio-cultural, and spiritual responses of surgical patients during the perioperative period.

*RN circulator:* A role performed by the perioperative registered nurse, without donning sterile attire, during the preoperative, intraoperative, and postoperative phases of surgical patient care. In collaboration with the entire perioperative team, the RN circulator uses the nursing process to provide and coordinate the nursing care of the patient undergoing operative or other invasive procedures.

## References

1. AORN Position Statement: Perioperative Safe Staffing and On-Call Practices. AORN, Inc. [http://www.aorn.org/Clinical\\_Practice/Position\\_Statements/Supporting\\_documents/PosStat\\_Staffing.aspx](http://www.aorn.org/Clinical_Practice/Position_Statements/Supporting_documents/PosStat_Staffing.aspx). Accessed March 1, 2014.
2. Ritchie CR. Fundamental perioperative nursing: decompartmentalizing the scrub and circulator roles. *Perioper Nurs Clin*. 2009;4(2):167-180.
3. Standards of perioperative nursing. In: *Perioperative Standards and Recommended Practices*. Denver, CO: AORN, Inc; 2013:14-15.
4. Kane RL, Shamliyan T, Mueller C, Duval S, Wilt TJ. Nurse staffing and quality of patient care. *Evid Rep Technol Assess (Full Rep)*. 2007;151:1-115.
5. Thungjaroenkul P, Cummings GG, Embleton A. The impact of nurse staffing on hospital costs and patient length of stay: a systematic review. *Nurs Econ*. 2007;25(5):255-265.
6. McGillis Hall L, Doran D, Pink GH. Nurse staffing models, nursing hours, and patient safety outcomes. *J Nurs Adm*. 2004;34(1):41-45.
7. Newhouse RP, Johantgen M, Pronovost PJ, Johnson E. Perioperative nurses and patient outcomes—mortality, complications, and length of stay. *AORN J*. 2005;81(3):508-528.
8. Needleman J, Buerhaus P, Pankratz VS, Leibson CL, Stevens SR, Harris M. Nurse staffing and inpatient hospital mortality. *N Engl J Med*. 2011;364(11):1037-1045.
9. McHugh MD, Berez J, Small DS. Hospitals with higher nurse staffing had lower odds of readmissions penalties than hospitals with lower staffing. *Health Aff (Millwood)*. 2013;32(10):1740-1747.
10. Aiken L, Cimiotti J, Sloane D, Smith H, Flynn L, Neff D. Effects of nurse staffing and nurse education on patient deaths in hospitals with different nurse work environments. *Med Care*. 2011;49(12):1047-1053.
11. Introduction to the AORN recommended practices. In: *Perioperative Standards and Recommended Practices*. Denver, CO: AORN, Inc; 2013:43-49.
12. Kohn LT, Corrigan JM, Donaldson MS. Errors in health care: a leading cause of death and injury. In: *To Err Is Human: Building a Safer Health System*. Washington, DC: National Academies Press; 2000:26-48.
13. Leape LL, Shore MF, Dienstag JL, et al. Perspective: culture of respect, part 1: the nature and causes of disrespectful behavior by physicians. *Acad Med*. 2012;87(7):845-852.
14. AORN Position Statement: *Creating a Practice Environment of Safety*. Denver, CO: AORN, Inc; 2011. [http://www.aorn.org/Clinical\\_Practice/Position\\_Statements/Position\\_Statements.aspx](http://www.aorn.org/Clinical_Practice/Position_Statements/Position_Statements.aspx). Accessed November 14, 2013.

15. Perioperative Efficiency Tool Kit. AORN, Inc.  
[http://www.aorn.org/Clinical\\_Practice/ToolKits/Periop\\_Efficiency\\_Tool\\_Kit/Perioperative\\_Efficiency\\_Tool\\_Kit.aspx](http://www.aorn.org/Clinical_Practice/ToolKits/Periop_Efficiency_Tool_Kit/Perioperative_Efficiency_Tool_Kit.aspx). Accessed November 14, 2013.
16. Centers for Medicare & Medicaid Services. Conditions of participation for hospitals. 42 CFR §482 (2011). <http://www.gpo.gov/fdsys/granule/CFR-2011-title42-vol5/CFR-2011-title42-vol5-part482/content-detail.html>. Accessed September 17, 2013.
17. What's happening in my state? AORN, Inc.  
[http://www.aorn.org/Advocacy/Whats\\_Happening\\_in\\_My\\_State/What\\_s\\_happening\\_in\\_my\\_state\\_.aspx](http://www.aorn.org/Advocacy/Whats_Happening_in_My_State/What_s_happening_in_my_state_.aspx). Accessed November 14, 2013.
18. Perioperative patient focused model. In: *Perioperative Standards and Recommended Practices*. Denver, CO: AORN, Inc; 2013:4.

### **Publication History**

*Original approved by the House of Delegates, March 2001, as AORN Statement on Nurse-to-Patient Ratios.*

*Revision approved by the House of Delegates, March 2007.*

*Reaffirmed by the Board of Directors, August 2012.*

*Revision: approved by the House of Delegates, April 2014.*

*Sunset review: 2019*