

AORN Position Statement on Preventing Wrong-Patient, Wrong-Site, and Wrong-Procedure Events

POSITION STATEMENT

AORN ~~is dedicated to~~ believes:

- The recent increase in the ~~promotion~~ number of reported procedural never events, including wrong-patient, wrong-site, and wrong-procedure events, should be a wake-up call for all.
- Health care professionals share an ethical and professional duty to provide safe, care that supports optimal outcomes for all patients undergoing operative and other invasive procedures.
- AORN ~~recognizes the need to implement~~ Implementation of standardized ~~processes developed by safety, regulatory, or accrediting organizations or agencies~~ evidence-based practices for the prevention of wrong-patient, wrong-site, and wrong-procedure events- ~~(ie, those described in the AORN Guideline for Team Communication1)~~ is imperative.
- Multidisciplinary Organizational policies and procedures designed to prevent wrong-patient, wrong-site, and wrong-procedure events should be rooted in evidence-based practice recommendations. These policies and procedures should be developed and maintained by interdisciplinary teams that include perioperative registered nurses (RNs-), surgeons, anesthesia care providers, professionals, quality and risk managers, and other health care professionals should collaboratively develop procedures and protocols to prevent wrong patient, wrong site, wrong-procedure events-professionals, and others identified by the organization.

 - Multidisciplinary team members Policies and procedures should implement and monitor ~~include~~ standardized processes for the prevention of wrong patient, wrong-site, wrong-procedure events. Policies for individual practices that detail, at a minimum, preprocedure verification, site marking, and time-out procedures.

- Perioperative RNs are positioned as last-line advocates in their role of leading teams in completing the safe surgery checklist, ensuring that all patient elements are confirmed prior to the start of the procedure.
- Health care organizations ~~should clearly delineate the role and~~ all perioperative professionals have a shared responsibility to cultivate a culture of the physician and others safety that supports effective team ~~members in marking~~ communication and encourages speaking up.

RATIONALE

Wrong-patient, wrong-site, and ~~verifying~~ wrong-procedure events are entirely preventable “never events,” yet they continue to occur² and, alarmingly, appear to be on the rise.^{3,4} The Joint Commission reported 127 wrong surgery events in 2024 (an increase from 112 in 2023), with most due to wrong-site/laterality

errors—especially in nerve blocks and urologic procedures—underscoring the need for renewed vigilance across all settings where invasive procedures are performed.²

Additionally, post-pandemic procedural “never events” are on the rise as demonstrated by a global electronic health record study using the TriNetX network, which examined preventable procedural adverse events (ICD-10 codes Y62-Y69) across multiple regions from 2016 to 2024.³ This analysis revealed a significant 125% increase in preventable procedural adverse events, from 0.04 to 0.09 per 100,000 patients between 2016 and 2024, with a notable inflection point during the early post-pandemic period from June 2023 to the end of 2024.³

The Pennsylvania Patient Safety Reporting System (PA-PSRS), one of the largest event reporting databases in the United States, documented 315,418 reports of wrong surgery in 2024, representing a 9.5% increase over 2023.⁴ Hospital reporting rates reached 32.2 reports per 1,000 patient days, while ambulatory surgical facilities reported 11.4 reports per 1,000 surgical encounters.⁴ Recent analysis of PA-PSRS data specifically examining wrong-site events identified 1,166 reports of informed consent and schedule errors over 4 years, with 69% involving laterality errors, 24% procedure errors, 4% site errors, and 3% patient errors.⁵ Additionally, contemporary evidence continues to highlight significant underreporting due to cultural, procedural, and systemic barriers.⁶

Common contributing factors include failure to follow established policies or protocols and failure to review medical records.⁷ Implementing evidence-based, standardized verification strategies is critical to confirm the correct patient, surgical site-, and planned procedure, and to prevent errors.^{1,8}

- Surgical team members should complete a preoperative checklist that includes, but is not limited to, preprocedure verification, site marking, and time-out procedures.

RATIONALE

Despite appearing straightforward, implementation of this process in clinical settings can be complex and influenced by power dynamics, individual motivations, and organizational context.⁹ The successful adoption of error prevention strategies for wrong-patient, wrong-site, and wrong-procedure events can and must be prevented. Implementing evidence-based, risk prevention strategies for the identification and verification of the correct patient, surgical site, and procedure will reduce the risk of error.¹⁻⁶

A comprehensive approach is needed in each health care organization to prevent requires shared team understanding, commitment, and alignment with standardized practices and the organization’s culture.⁹ Therefore, preventing wrong-patient, wrong-site, and wrong-procedure events- requires a comprehensive, interdisciplinary, organization-wide approach.^{1,8} Perioperative RNs are key participantscritical in multidisciplinary teams during the development of procedures and protocolsthis process and serve as key members of the interdisciplinary team in developing, performing, and advocating for correct site surgery- policies, procedures, and protocols.¹ As patient advocates, perioperative RNs communicate with ensure that all memberselements of the surgical team and other nursing personnel to verify that all components of the standardized process—preprocedure verification, site marking, and time out—are consistently and correctly completed correctly, including but not limited to, preprocedure in collaborative procedures.

Wrong-surgery events persist across hospitals, ambulatory surgery centers, dentistry, interventional suites, and procedural areas outside the OR.¹⁰ National surveillance shows wrong surgeries remain among the top reported sentinel events, with the majority attributable to incomplete or ineffective time outs, policy non-adherence, and lack of a shared mental model across the team.² Consistent, high-fidelity

use of the pre-procedure verification, site marking, and time-out procedures—adapted to local workflows and reinforced by leadership—reduces preventable harm and strengthens patient and workforce trust.¹

REFERENCES

1. Lingard L, Regehr G, Orser B, et al. Evaluation of a preoperative checklist and team briefing among surgeons, nurses, and anesthesiologists to reduce failures in communication. *Arch Surg*. 2008;143(1):12-17.
2. Einav Y, Gopher D, Kara I, et al. Preoperative briefing Evidence-based practice recommendations are described in the operating room: shared cognition, teamwork, and patient AORN Guideline for Team Communication¹ and include developing a foundational culture of safety. *Chest*. 2010;137(2):443-449.
3. Makary MA, Mukherjee A, Sexton JB, et al. Operating room, structuring standardized preprocedure briefings and wrong, marking the surgical site surgery. *J Am Coll Surg*. 2007;204(2):236-243.
4. Haynes AB, Weiser TG, Berry WR, et al. A, conducting a time out, and developing and implementing a standardized surgical safety checklist to reduce morbidity and mortality in a global population. *N Engl J Med*. 2009;360(5):491-499.

The number of wrong-patient, wrong-site, and wrong-procedure events underscores the growing need for awareness and heightened vigilance in patient and procedural identification processes.

Glossary

Never events: Adverse events that are unambiguous (clearly identifiable and measurable), serious (resulting in death or significant disability), and preventable. Never events include a surgical or other invasive procedure performed on the wrong site or the wrong patient, a wrong surgical or other invasive procedure performed on a patient, unintended retention of a foreign object in a patient after surgery or another invasive procedure, and intraoperative or immediate postoperative/post-procedure death in a patient classified as ASA Class I.

References

1. Guideline for team communication. In: *Guidelines for Perioperative Practice*. AORN Inc; 2026:1163-1198.
2. *Sentinel Event Data 2024 Annual Review*. The Joint Commission; 2025. Accessed October 24, 2025. <https://digitalassets.jointcommission.org/api/public/content/eac7511986c0442a9c1ae04b1aa02cc0?v=ad34daa0>
3. Caruso R, Di Muzio M, Di Simone E, et al. Retrospective analysis of preventable procedural adverse events (ICD-10 Y62-Y69) in the TriNetX network: a multiregional study before, during and after the COVID-19 pandemic. *BMJ Qual Saf*. 2025. doi:10.1136/bmjqs-2025-019077
4. Kepner S, Jones R. Patient safety trends in 2024: an analysis of 315,418 serious events and incidents from the nation's largest event reporting database. *Patient Saf*. 2025;7(2):1-15. doi:10.33940/001c.133876
5. Taylor MA, Yonash RA. Risk factors for wrong-site surgery: a study of 1,166 reports of informed consent and schedule errors. *Patient Saf*. 2024;6(1):1-11. doi:10.33940/001c.117084

6. [Anderson MJ, Stephens WA, Levy BE, Newcomb MR, Harris AM. Barriers to incident reporting by physicians: a survey of surgical residents and attending physicians. *Cureus*. 2024;16\(6\):e62850. doi:10.7759/cureus.62850](#)
7. [Tan J, Ross JM, Wright D, Pimentel MPT, Urman RD. A contemporary analysis of closed claims related to wrong-site surgery. *Jt Comm J Qual Patient Saf*. 2023;49\(5\):265-273. doi:10.1016/j.jcjq.2023.02.002](#)
8. [2026 Hospital National Patient Safety Goals. The Joint Commission. 2026. Accessed January 7, 2026. <https://digitalassets.jointcommission.org/api/public/content/8d49c3ffa9934ffda2ff83b5ad860ea7?v=aae10901>](#)
9. [Lifebox, Ariadne Labs. *Checking in on the Checklist*. Lifebox. 2020. Accessed October 24, 2025. <https://www.lifebox.org/wp-content/uploads/2022/08/Checking-In-On-the-Checklist-web.pdf>](#)
10. [Hajjaj OI, Zaslow J, El Sherif R, et al. Wrong-site, wrong-procedure, and retained foreign object events in out-of-hospital settings: analysis of closed medico-legal complaints in Canada \(2012–2021\). *Patient Saf Surg*. 2025;19\(1\):11. doi:10.1186/s13037-025-00432-4](#)

Additional Resources

[Agency for Healthcare Research and Quality. Toolkit to Improve Safety in Ambulatory Surgery Centers. Accessed October 24, 2025. <https://www.ahrq.gov/hai/tools/ambulatory-surgery/index.html>](#)

[Agency for Healthcare Research and Quality. What is patient safety culture? June 2024. Accessed October 24, 2025. <https://www.ahrq.gov/sops/about/patient-safety-culture.html>](#)

[American Society for Health Care Risk Management. ASHRM Patient Safety Tip Sheet: Preventing Wrong-Site Surgeries. Accessed October 24, 2025. \[https://www.ashrm.org/system/files/media/file/2022/02/Patient-Safety-Tip-Sheet_Wrong-Site-Surgeries_v1.pdf\]\(https://www.ashrm.org/system/files/media/file/2022/02/Patient-Safety-Tip-Sheet_Wrong-Site-Surgeries_v1.pdf\)](#)

[AORN Inc. AORN Comprehensive Surgical Checklist. Accessed October 24, 2025.](#)

<https://www.aorn.org/guidelines-resources/tool-kits/comprehensive-surgical-checklist5-Velmahos-GC>. Patient safety systems: a long way to go. *Arch Surg*. 2009;144(11):1034-

6. [Ring DC, Herndon JH, Meyer GS. Case 34-2010: a 65-year-old woman with an incorrect operation on the left hand. *N Engl J Med*. 2010;363\(20\):1950-1957.](#)

[AORN Inc. Correct Site Surgery Tool Kit. AORN, Inc. . Accessed October 24, 2025.](#)

<https://www.aorn.org/guidelines-resources/tool-kits/Correct-Site-Surgery-tool-kitJanuary-11,-2011-> [Member login required]

[Ariadne Labs. Safe Surgery Checklist Implementation Guide. Accessed October 24, 2025.](#)

<https://www.ariadnelabs.org/resources/downloads/safe-surgery-checklist-implementation-guide/>

[ASC Quality Collaboration. Prevention of Wrong Site Surgery Toolkit. Accessed October 13, 2025.](#)

<https://ascquality.org/toolkits/wrong-site-surgery>

[Centers for Medicare and Medicaid Services. State Operations Manual Appendix A – Survey, Protocol, Regulations and Interpretive Guidelines for Hospitals. Rev 220, 04-19-24.](#)

https://www.cms.gov/regulations-and-guidance/guidance/manuals/downloads/som107ap_a_hospitals.pdf

[Gillespie BM, Chaboyer W, Wallis M, Fenwick C. Why isn't "time out" being implemented? an exploratory study. *Qual Saf Health Care*. 2010;19\(2\):103-106.](#)

[Kwaan MR, Studdert DM, Zinner MJ, Gawande AA. Incidence, patterns, and prevention of wrong-site surgery. *Arch Surg*. 2006;141\(4\):353-358.](#)

~~Neily J, Mills PD, Eldridge N, et al. Incorrect surgical procedures within and outside of the operating room. Arch Surg. 2009;144(11):1028-1034.~~

~~Universal protocol for preventing wrong site, wrong procedure, wrong person surgery. Centers for Medicare and Medicaid Services. State Operations Manual Appendix L – Guidance for Surveyors: Ambulatory Surgical Centers. Rev 215, 07-21-23. Accessed October 24, 2025. https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107ap_l_ambulatory.pdf~~

~~The Joint Commission. [National Patient Safety Goals](https://www.jointcommission.org/en-us/standards/national-patient-safety-goals). Accessed ~~January 11, 2011~~. October 24, 2025. <https://www.jointcommission.org/en-us/standards/national-patient-safety-goals>~~

~~World Health Organization. WHO Surgical Safety Checklist ~~and implementation manual~~. Accessed October 24, 2025. <https://www.who.int/teams/integrated-health-services/patient-safety/research/safe-surgery/tool-and-resources> ~~World Health Organization~~. Accessed January 11, 2011.~~

Publication History

Original approved by the House of Delegates, April 2005

Revision; approved by the Board of Directors, February 2011

Reaffirmed by the Board of Directors, August, 2015

Reaffirmed by the Board of Directors, February 23, 2021

Revision pending approval by the House of Delegates, scheduled for April 2026

Sunset review, + 5 years